

Use Coupon Code: WELL25

✉ sales@pillsanxiety.com

🌐 www.pillsanxiety.com

📍 3899 W Cleveland St, Tampa, FL 33609, USA

Contact Us My Account Wishlist



HOME SHOP

ABOUT US BLOG



FAQS

PRODUCT CATEGORY

[Home](#) / Buy Viagra Online

Buy Viagra Online

Showing the single result

Default sorting



Viagra 100mg

\$337.00

SELECT
OPTIONS

What Is Viagra?

Viagra is a brand name for *Sildenafil* medication, which belongs to the **Phosphodiesterase PDE inhibitor** class of drugs. This medication is typically prescribed to men to treat Erectile Dysfunction (ED).

This medication contains other PDE-5 inhibitors and is used to help men with Erectile Dysfunction, also known as **(impotence)**. This medication helps in increasing the erectile response when a man is sexually aroused or stimulated.

It is approved by FDA ([Food and Drug Administration](#)) to treat ED effectively and to treat pulmonary hypertension. This medication is meant for children and women.

This medication is available in tablet form, which is taken orally by mouth, and is available in [Viagra 100mg](#) strength on '[Pills Anxiety](#)'.

Who Should Use Viagra?

- This medication is mainly prescribed to men with Erectile Dysfunction (ED) (a condition when a person can't get or keep an erection during sexual arousal).
- This medication is also sometimes used to treat pulmonary hypertension (blood pressure in the lungs is higher than usual), causing shortness of breath, chest pain, rapid heartbeat, etc).
- It helps in relaxing your blood vessels and lower blood pressure levels in lungs, which makes it easier for your heart to pump blood to the rest of your body.
- Viagra starts to work within **30 – 60 minutes** after you take a dose of the drug. Viagra works faster if you take the dose on an empty stomach.
- The effects of Viagra remain in the body for about **5 hours**, which means that if you are aroused, you will still be able to get an erection for up to **4 hours** after taking the dose.

Who Should Not Take Viagra?

You must avoid using it if you have or are suffering from any of these health conditions –

- Men over the age of 50
- Heart failure or heart pains
- Uncontrolled heartbeat
- Some men with (ED)
- Retinal eye problems
- Men who are not active in daily life
- Severe liver or kidney disease
- Whose father has BPH (genetic)
- Using nitrates for chest pain
- People with recent heart attack or stroke
- Taking chest pain medications like nitrates
- Allergic to Viagra or Sildenafil medication

Dosing Information

The ideal dose of this medication depends on various factors, such as age, overall health of the patient, and in-depth assessment by a doctor. It is generally prescribed for short-term treatment due to its potency for dependence.

Dose for Erectile Dysfunction (ED)

- The usual recommended by doctors to start with is **50mg**, which is advised to be taken one hour before sex.
- You can take this medication **30 minutes to 4 hours** before you anticipate sexual activity.
- Your doctor may increase your dose to a maximum of **100 mg** or decrease it for up to **25 mg** based on how well you respond to this medication.
- This medication is not advised to be taken on a regular basis, but it is recommended to be taken as needed.

Viagra Side Effects

The side effects may develop gradually and worsen over time. It is crucial to contact your doctor before worsening to manage them immediately as soon as any signs of symptoms occur.

Common Side Effects Of Viagra

- **Headaches**
- **Nosebleed**
- **Increased skin sensitivity**
- **Nausea** (feeling of sickness causing diarrhea and constipation)
- **Indigestion** (fullness, heartburn, bloating, sometimes vomiting)
- **Hot flashes or facial flushing** (chills, sweating, increased heart rate)
- **Stuffy nose** (headache, difficulty breathing, swollen nasal passage)
- **Muscle aches** (muscle or back pain)

Serious Side Effects Of Viagra

- **Loss of vision** – Viagra can cause loss of vision in one or both eyes.
- **Loss of hearing** – Misuse of Viagra can cause hearing loss.
- **Heart attack** – Overdosing on this medication can lead to heart attack or stroke.
- **Seizures or fits** – It can cause symptoms such as stiffness in the body, jerking or shaking, or staring blankly.
- **Low-blood pressure** – If you feel weakness, lightheaded, or feel like fainting, then these are the signs that you have low-blood pressure.
- **Anaphylaxis** – Weak or rapid pulse, swollen tongue or throat, low blood pressure, itching, hives, and flushed or pale skin.
- **Priapism** – It can lead to swelling, redness, or pain in the penis, especially at the tip, that causes difficulty in urination. If it persists longer than 4 hours, contact your doctor.
- **Rectal bleeding** – (anal pain or discomfort or blood in stool)
- **Shortness of breath** (result in slow or shallow breathing)
- **Allergic reactions** – Using inadequate amounts of this medication can cause certain allergic reactions such as itching, rashes, hives, and swelling.

Expert Tips You Should Know Before Using Viagra

To prevent any severe side effects, withdrawal symptoms, and drug interaction. You must avoid making this medication while using Viagra.

- Avoid using this medication if you are already taking any herbal supplements.
- Do not mix or combine Viagra or alcohol, it can cause severe withdrawal results.
- Take the dose of Viagra on an empty stomach **30 – 60 minutes** before sex.
- Viagra is for men and is not intended to be used by women.
- You can take it up to **4 hours** before you want to have sex.
- If you are taking Viagra for the first time, you may experience certain symptoms like dizziness, headache, or flushing on the skin.
- You need to have your meal **2 hours** before you intend to use the medication
- Try to have light meals throughout the day before using Viagra, and avoid having heavy or fatty meals and red meat.

Final Words

If you have erectile dysfunction (ED) and want to use Viagra, then you must contact a doctor before using it, as it has a higher potency for abuse, misuse, and dependence that can cause serious health issues.

Do not share this medication with others even without a prescription, even if they are having the same issues as yours. Avoid using Viagra on a regular basis, as it can affect your (cardiovascular) heart health and cause nerve, muscle, and prostate gland issues.

*If you are suffering from Erectile Dysfunction (ED) or pulmonary hypertension? Place your order right now to buy Viagra online **Get Up To 25% discount** using **Coupon Code – WELL25** from '[Pills Anxiety](#).'*

"Order Viagra Online To Get Up To 25% Instant Discount"

Coupon Code

Get UPTO 25% Discount on All Medicines.

Use Coupon Code

WELL25

Check Details On Payment Page

Product Category



[Buy Tapentadol Online](#)



[Buy Adderall Online](#)



[Buy Adipex Online](#)



[Buy Alprazolam Online](#)



[Buy Ambien Online](#)



[Buy Ativan Online](#)



[Buy Belbien Online](#)



[Buy Buprenorphine Online](#)



[Buy Butalbital Online](#)



[Buy Cialis Online](#)



[Buy Claritin Online](#)



[Buy Clonazepam Online](#)



[Buy Codeine Online](#)



[Buy Concerta Online](#)



[Buy Diazepam Online](#)



[Buy Dilaudid Online](#)



[Buy Farmapram Online](#)



[Buy Fioricet Online](#)



[Buy Gabapentin Online](#)



[Buy Hydrocodone Online](#)



[Buy Hydromorphone Online](#)



[Buy Klonopin Online](#)



[Buy Ksalol Online](#)



[Buy Levitra Online](#)



[Buy Lorazepam Online](#)



[Buy Lortab Online](#)



[Buy Lunesta Online](#)



[Buy Methadone Online](#)



[Buy Methylphenidate Online](#)



[Buy Norco Online](#)



[Buy Opana ER Online](#)



[Buy Oxycodone Online](#)



[Buy Oxycontin Online](#)



[Buy Oxymorphone Online](#)



[Buy Percocet Online](#)



[Buy Phentermine Online](#)



[Buy Pregabalin Online](#)



[Buy Provigil Online](#)



[Buy Restoril Online](#)

[Buy Ritalin Online](#)[Buy Soma Online](#)[Buy Suboxone Online](#)[Buy Tramadol Online](#)[Buy Valium Online](#)[Buy Viagra Online](#)[Buy Vicodin Online](#)[Buy Xanax Online](#)[Buy Zolpidem Online](#)

Contact details

🏡 Pills Anxiety: Your trusted online pharmacy for branded and generic drugs at unbeatable street prices. Enjoy fast and secure USPS Express delivery across the USA.

📍 3899 W Cleveland St, Tampa, Florida 33609, USA

✉️ sales@pillsanxiety.com

Top rated products

Xanax 1mg



\$307.00

Xanax 2mg



\$311.00

Green Xanax Bars

\$357.00

Red Xanax Bars

\$348.00

Quick Links[About Us](#)[Contact Us](#)[FAQs](#)[Blog](#)[Shipping Policy](#)[Privacy Policy](#)[Testimonial](#)[Shop](#)**Recent Blogs**[How to avoid loose skin after weight loss?](#)[What is the strongest sleep medication for insomnia?](#)[5 Pain Management Medication: An Effective Guide](#)[Best Anxiety Medications: Costs and Side Effects](#)

Copyright © 2026 pillsanxiety.com. All Rights Reserved